














Contents






Item		Qty.
9715		4
9976		2
9717		4
9718		4
9719		2
9721		2

1305		6
------	---	---

Item		Qty.	Item		Qty.
9722		2	9724		4
9723		2	9728		6
9725		4	9936		4
9729		2			
9730		2			

9726		4
9727		1
9731		2







Contents








Item		Qty.	Item		Qty.	Item		Qty.
9512		16 (+1)	7024		6	9733		4
9487		8	427		6			
4045		12 (+1)	433		48 (+2)	5000		40 (+8)
4008		4				5001		46 (+8)
8346		12 (+1)				9952		12
9708		2	424		12			
421		6				9975		1
97		8 (+1)	8481		8			
411		40 (+4)						
461		6	4000		8			
466		74 (+6)						
7121		20 (+2)	4010		8			

1




It is recommended to use a carton or other soft material in order to avoid scratches and peeling of paint.







3





1305 6





9718 4




9717 4





10 mm
3/8"




a




b



c




d




x2



4









411 24



x2





5





x2







6






x2






$X = Y$

























466 8











13





Make sure that the edge of the profiles and panels are aligned.



421 6 7024 6 427 6
















4045 12

9512 8


4008 4

466 8





x2






16









- The recommended height position of the shelf can be adjusted from 90 cm - 110 cm / 35" - 43".
- The shelves can be assembled both facing in and out.








8346 12












x2






$X = Y$







4000 8







4010 8




433 8



9487 8









5000..........56

5001..........46


9952..........12



23



The height and location of the bottle opener is a recommendation.
Install as you choose.



9975



.....1

9708



.....2

